

WHAT IS CLAIMED IS:

1. A kit comprising, in a pharmaceutically acceptable form, biologically effective amounts of at least a first antibody, or an antigen-binding fragment thereof, that binds to an aminophospholipid and:

(a) a detectably-labeled antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid; or

(b) at least a second anti-cancer agent.

2. The kit of claim 1, wherein said kit comprises at least a first antibody, or antigen-binding fragment thereof, binds to phosphatidylethanolamine.

3. The kit of claim 1, wherein said kit comprises at least a first antibody, or antigen-binding fragment thereof, binds to phosphatidylserine.

4. The kit of claim 1, wherein said kit comprises at least a first IgG or IgM antibody that binds to an aminophospholipid.

5. The kit of claim 1, wherein said kit comprises at least a first scFv, Fv, Fab', Fab or F(ab')₂ antigen-binding fragment of an antibody that binds to an aminophospholipid.

6. The kit of claim 1, wherein said kit comprises at least a first monoclonal antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

7. The kit of claim 1, wherein said kit comprises at least a first recombinant antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

5

8. The kit of claim 1, wherein said kit comprises at least a first human, humanized or part-human chimeric antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

10

9. The kit of claim 8, wherein said kit comprises at least a first antibody comprising a mouse antibody variable region that binds to an aminophospholipid operatively attached to a human antibody framework or constant region.

15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

10. The kit of claim 8, wherein said kit comprises at least a first recombinant, human antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

11. The kit of claim 1, wherein said kit comprises at least a first dimer, trimer or multimer of an antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

12. The kit of claim 1, wherein said kit comprises at least a first and second antibody, or antigen-binding fragments thereof, that bind to an aminophospholipid.

13. The kit of claim 12, wherein said kit comprises at least a first antibody, or antigen-binding fragment thereof, that binds to phosphatidylethanolamine and at least a second antibody, or antigen-binding fragment thereof, that binds to phosphatidylserine.

14. The kit of claim 1, wherein said kit comprises at least a first pharmaceutically acceptable formulation suitable for intravenous administration.

5

15. The kit of claim 1, wherein said kit comprises, in distinct pharmaceutical compositions, said at least a first antibody, or antigen-binding fragment thereof, and said detectably-labeled antibody, or antigen-binding fragment thereof.

10

16. The kit of claim 15, wherein said detectably-labeled antibody, or antigen-binding fragment thereof, comprises the X-ray detectable compound bismuth (III), gold (III), lanthanum (III) or lead (II).

17. The kit of claim 15, wherein said detectably-labeled antibody, or antigen-binding fragment thereof, comprises the detectable radioactive ion copper⁶⁷, gallium⁶⁷, gallium⁶⁸, indium¹¹¹, indium¹¹³, iodine¹²³, iodine¹²⁵, iodine¹³¹, mercury¹⁹⁷, mercury²⁰³, rhenium¹⁸⁶, rhenium¹⁸⁸, rubidium⁹⁷, rubidium¹⁰³, technetium^{99m} or yttrium⁹⁰.

18. The kit of claim 15, wherein said detectably-labeled antibody, or antigen-binding fragment thereof, comprises the detectable nuclear magnetic spin-resonance isotope cobalt (II), copper (II), chromium (III), dysprosium (III), erbium (III), gadolinium (III), holmium (III), iron (II), iron (III), manganese (II), neodymium (III), nickel (II), samarium (III), terbium (III), vanadium (II) or ytterbium (III).

19. The kit of claim 1, wherein said kit comprises said at least a first antibody, or antigen-binding fragment thereof, and said at least a second anti-cancer agent.

20. The kit of claim 19, wherein said at least a first antibody, or antigen-binding fragment thereof, and said at least a second anti-cancer agent are comprised within a single pharmaceutical composition.

5

21. The kit of claim 19, wherein said at least a first antibody, or antigen-binding fragment thereof, and said at least a second anti-cancer agent are comprised within distinct pharmaceutical compositions.

10

22. The kit of claim 19, wherein said at least a second anti-cancer agent is a chemotherapeutic agent, radiotherapeutic agent, anti-angiogenic agent or apoptosis-inducing agent.

23. The kit of claim 19, wherein said at least a second anti-cancer agent is an antibody-therapeutic agent construct comprising a targeting antibody, or antigen-binding fragment thereof, that binds to a surface-expressed, surface-accessible or surface-localized component of a tumor cell, tumor stroma or tumor vasculature; wherein said targeting antibody or fragment thereof is operatively linked to a therapeutic agent.

24. The kit of claim 23, wherein said targeting antibody, or antigen-binding fragment thereof, binds to a surface-expressed, surface-accessible, surface-localized, cytokine-inducible or coagulant-inducible component of intratumoral blood vessels of a vascularized tumor.

25. The kit of claim 24, wherein said targeting antibody, or antigen-binding fragment thereof, binds to a surface-expressed component of intratumoral vasculature selected from the group consisting of an aminophospholipid, endoglin, a TGF β receptor, E-selectin, P-selectin, VCAM-1,

ICAM-1, PSMA, a VEGF/VPF receptor, an FGF receptor, a TIE, $\alpha_v\beta_3$ integrin, pleiotropin, endosialin and an MHC Class II protein.

- 5 26. The kit of claim 24, wherein said targeting antibody, or antigen-binding fragment thereof, binds to a surface-localized component of intratumoral vasculature selected from the group consisting of VEGF/VPF, FGF, TGF β , a ligand that binds to a TIE, a tumor-associated fibronectin isoform, scatter factor/hepatocyte growth factor (HGF), platelet factor 4 (PF4), PDGF and TIMP.

10

27. The kit of claim 23, wherein said targeting antibody, or antigen-binding fragment thereof, is operatively linked to a cytotoxic agent.

15
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

28. The kit of claim 23, wherein said targeting antibody, or antigen-binding fragment thereof, is operatively linked to a coagulation factor or to an antibody, or antigen-binding fragment thereof, that binds to a coagulation factor.

20

29. The kit of claim 23, wherein said targeting antibody, or antigen-binding fragment thereof, is operatively linked to deglycosylated ricin A chain, Tissue Factor, truncated Tissue Factor or to an antibody, or antigen-binding fragment thereof, that binds to Tissue Factor or truncated Tissue Factor.

25

30. The kit of claim 1, wherein said kit comprises biologically effective amounts of:

- (a) a detectably-labeled antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid;

30

- 5
- (b) at least a first unconjugated antibody, or an antigen-binding fragment thereof, that binds to an aminophospholipid; and
- (c) at least a second anti-cancer agent.

31. An imaging and treatment kit, comprising:

- 10
- (a) at least a first pharmaceutical composition comprising a diagnostically effective amount of a detectably-labeled antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid; and
- (b) at least a second pharmaceutical composition comprising a therapeutically effective amount of at least one unconjugated antibody, or an antigen-binding fragment thereof, that binds to an aminophospholipid.
- 15

32. The kit of claim 31, wherein the antibody or antigen-binding fragment of said detectably-labeled antibody and said unconjugated antibody or an antigen-binding fragment thereof are obtained from the same antibody preparation or antibody-producing hybridoma.

20

33. The kit of claim 31, wherein said kit further comprises a therapeutically effective amount of at least a second anti-cancer agent.

25

34. A therapeutic kit comprising, in at least a first suitable container, a combined pharmaceutically effective amount of at least a first unconjugated antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid; and at least a second anti-cancer agent.

30

35. The kit of claim 34, wherein said at least a second anti-cancer agent is an anti-angiogenic agent, apoptosis-inducing agent or a vascular targeting agent.

5 36. The kit of claim 34, wherein said kit further comprises a diagnostically effective amount of a detectably-labeled antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid.

10 37. A medicinal cocktail comprising, in a pharmaceutically acceptable form, a combined effective amount of at least a first anti-cancer agent and at least a first unconjugated antibody, or an antigen-binding fragment thereof, that binds to an aminophospholipid.

15 38. In combination, biologically effective amounts of:

- 20
- (a) a detectably-labeled antibody, or antigen-binding fragment thereof, that binds to an aminophospholipid;
 - (b) at least a first unconjugated antibody, or an antigen-binding fragment thereof, that binds to an aminophospholipid; and
 - (c) at least a second anti-cancer agent.

add
C1

add
D1